

**Broadband Radio Access Networks (BRAN);  
5 GHz high performance RLAN;  
Harmonized EN covering the essential requirements  
of article 3.2 of the R&TTE Directive  
(ETSI EN 301 893 V1.8.1 (2015-03))**

Medieninhaber und Hersteller:  
OVE Österreichischer Verband für Elektrotechnik  
Austrian Standards Institute

ICS 33.060.30

Copyright © OVE/Austrian Standards Institute – 2015.  
**Alle Rechte vorbehalten!** Nachdruck oder  
Vervielfältigung, Aufnahme auf oder in sonstige Medien  
oder Datenträger nur mit Zustimmung gestattet!

**Ident (IDT) mit** ETSI EN 301 893 V1.8.1 (2015-03)

**Ersatz für** siehe nationales Vorwort

**Verkauf von in- und ausländischen Normen und  
technischen Regelwerken durch**  
Austrian Standards Institute  
Heinestraße 38, 1020 Wien  
E-Mail: sales@austrian-standards.at  
Internet: www.austrian-standards.at  
Webshop: www.austrian-standards.at/webshop  
Tel.: +43 1 213 00-300  
Fax: +43 1 213 00-818

**zuständig** OVE/Komitee  
TK IT-EG  
Informationstechnologie, Telekommunikation und  
Elektronik

Alle Regelwerke für die Elektrotechnik auch erhältlich bei  
OVE Österreichischer Verband für Elektrotechnik  
Eschenbachgasse 9, 1010 Wien  
E-Mail: verkauf@ove.at  
Internet: www.ove.at  
Webshop: www.ove.at/webshop  
Tel.: +43 1 587 63 73  
Fax: +43 1 587 63 73 - 99

## Nationales Vorwort

Diese Europäische Norm EN 301 893 V1.8.1:2015-06-01 hat sowohl den Status von ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK gemäß ETG 1992 als auch den einer ÖNORM gemäß NG 1971. Bei ihrer Anwendung ist dieses Nationale Vorwort zu berücksichtigen.

Für den Fall einer undatierten normativen Verweisung (Verweisung auf einen Standard ohne Angabe des Ausgabedatums und ohne Hinweis auf eine Abschnittsnummer, eine Tabelle, ein Bild usw.) bezieht sich die Verweisung auf die jeweils neueste Ausgabe dieses Standards.

Für den Fall einer datierten normativen Verweisung bezieht sich die Verweisung immer auf die in Bezug genommene Ausgabe des Standards.

Der Rechtsstatus dieser ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK/ÖNORM ist den jeweils geltenden Verordnungen zum Elektrotechnikgesetz zu entnehmen.

Bei mittels Verordnungen zum Elektrotechnikgesetz verbindlich erklärten ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK/ÖNORMEN ist zu beachten:

- Hinweise auf Veröffentlichungen beziehen sich, sofern nicht anders angegeben, auf den Stand zum Zeitpunkt der Herausgabe dieser ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK/ÖNORM. Zum Zeitpunkt der Anwendung dieser ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK/ÖNORM ist der durch die Verordnungen zum Elektrotechnikgesetz oder gegebenenfalls auf andere Weise festgelegte aktuelle Stand zu berücksichtigen.
- informative Anhänge und Fußnoten sowie normative Verweise und Hinweise auf Fundstellen in anderen, nicht verbindlichen Texten werden von der Verbindlicherklärung nicht erfasst.

Europäische Normen (EN) werden durch Veröffentlichung eines identen Titels und Textes in das Gesamtwerk der ÖSTERREICHISCHEN BESTIMMUNGEN FÜR DIE ELEKTROTECHNIK/ÖNORMEN übernommen, wobei der Nummerierung der Zusatz ÖVE/ÖNORM bzw. ÖNORM vorangestellt wird.

Der von ETSI übermittelte Normentext wird in englischer Sprache veröffentlicht, da davon ausgegangen werden kann, dass die Anwender der Norm über ausreichende englische Sprachkenntnisse verfügen.

## Erläuterung zum Ersatzvermerk

Gemäß Vorwort zur EN wird das späteste Datum, zu dem nationale Normen, die der vorliegenden Norm entgegenstehen, zurückgezogen werden müssen, mit dow (date of withdrawal) festgelegt. Bis zum Zurückziehungsdatum (dow) 2016-12-31 ist somit die Anwendung folgender Norm(en) noch erlaubt:

ÖVE/ÖNORM EN 301 893 V1.7.1:2012-08-01.



**Broadband Radio Access Networks (BRAN);  
5 GHz high performance RLAN;  
Harmonized EN covering the essential requirements  
of article 3.2 of the R&TTE Directive**

---

Reference

REN/BRAN-0060011

---

Keywordsaccess, broadband, LAN, layer 1, radio,  
regulation, testing**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

## Contents

Intellectual Property Rights .....	7
Foreword.....	7
Modal verbs terminology.....	7
Introduction .....	7
1    Scope .....	8
2    References .....	8
2.1    Normative references .....	8
2.2    Informative references.....	9
3    Definitions, symbols and abbreviations .....	9
3.1    Definitions.....	9
3.2    Symbols.....	12
3.3    Abbreviations .....	12
4    Technical requirements specifications .....	13
4.1    Environmental profile.....	13
4.2    Centre frequencies .....	13
4.2.1    General.....	13
4.2.2    Definition.....	13
4.2.3    Limits.....	14
4.2.4    Conformance.....	14
4.3    Nominal Channel Bandwidth and Occupied Channel Bandwidth.....	14
4.3.1    Definition.....	14
4.3.2    Limits.....	14
4.3.3    Conformance.....	14
4.4    RF output power, Transmit Power Control (TPC) and power density .....	14
4.4.1    Definitions .....	14
4.4.1.1    RF Output Power .....	14
4.4.1.2    Transmit Power Control (TPC) .....	14
4.4.1.3    Power Density .....	14
4.4.2    Limits .....	15
4.4.2.1    General.....	15
4.4.2.2    Limits for RF output power and power density at the highest power level.....	15
4.4.2.3    Limit for RF output power at the lowest power level of the TPC range .....	15
4.4.3    Conformance.....	15
4.5    Transmitter unwanted emissions .....	16
4.5.1    Transmitter unwanted emissions outside the 5 GHz RLAN bands.....	16
4.5.1.1    Definition.....	16
4.5.1.2    Limits .....	16
4.5.1.3    Conformance .....	16
4.5.2    Transmitter unwanted emissions within the 5 GHz RLAN bands .....	16
4.5.2.1    Definition.....	16
4.5.2.2    Limits .....	17
4.5.2.3    Conformance .....	17
4.6    Receiver spurious emissions.....	17
4.6.1    Definition.....	17
4.6.2    Limits.....	17
4.6.3    Conformance.....	18
4.7    Dynamic Frequency Selection (DFS).....	18
4.7.1    Introduction.....	18
4.7.1.1    General .....	18
4.7.1.2    Applicable frequency range .....	18
4.7.1.3    DFS operational modes .....	18
4.7.1.4    DFS operation .....	18
4.7.2    DFS technical requirements specifications .....	19
4.7.2.1    Applicability.....	19

4.7.2.2	Channel Availability Check .....	20
4.7.2.2.1	Definition.....	20
4.7.2.2.2	Limit .....	20
4.7.2.2.3	Conformance .....	20
4.7.2.3	Off-Channel CAC (Off-Channel Channel Availability Check) .....	20
4.7.2.3.1	Definition.....	20
4.7.2.3.2	Limit .....	21
4.7.2.3.3	Conformance .....	21
4.7.2.4	In-Service Monitoring.....	21
4.7.2.4.1	Definition.....	21
4.7.2.4.2	Limit .....	21
4.7.2.4.3	Conformance .....	21
4.7.2.5	Channel Shutdown .....	21
4.7.2.5.1	Definition.....	21
4.7.2.5.2	Limit .....	21
4.7.2.5.3	Conformance .....	21
4.7.2.6	Non-Occupancy Period .....	22
4.7.2.6.1	Definition.....	22
4.7.2.6.2	Limit .....	22
4.7.2.6.3	Conformance .....	22
4.7.2.7	Uniform Spreading.....	22
4.7.2.7.1	Definition.....	22
4.7.2.7.2	Limit .....	22
4.8	Adaptivity (Channel Access Mechanism) .....	22
4.8.1	Applicability .....	22
4.8.2	Definition.....	23
4.8.3	Requirements and limits .....	23
4.8.3.1	Frame Based Equipment .....	23
4.8.3.2	Load Based Equipment .....	24
4.8.3.3	Short Control Signalling Transmissions.....	26
4.8.3.3.1	Definition.....	26
4.8.3.3.2	Limits .....	26
4.8.4	Conformance.....	26
4.9	User Access Restrictions .....	26
4.9.1	Definition.....	26
4.9.2	Requirement.....	26
4.10	Geo-location capability .....	27
4.10.1	Applicability .....	27
4.10.2	Definition.....	27
4.10.3	Requirements .....	27
5	Testing for compliance with technical requirements.....	27
5.1	Conditions for testing .....	27
5.1.1	Normal and extreme test conditions.....	27
5.1.2	Test sequences and traffic load .....	27
5.1.2.1	General test transmission sequences .....	27
5.1.2.2	Test transmission sequences for DFS tests.....	28
5.1.3	Test channels .....	28
5.1.4	Antennas .....	29
5.1.4.1	Integrated and dedicated antennas.....	29
5.1.4.2	Transmit operating modes .....	29
5.1.4.2.1	Operating mode 1 (single antenna).....	29
5.1.4.2.2	Operating mode 2 (multiple antennas, no beamforming) .....	29
5.1.4.2.3	Operating mode 3 (multiple antennas, with beamforming) .....	29
5.1.5	Presentation of equipment .....	29
5.1.5.1	Testing of host connected equipment and plug-in radio devices.....	29
5.1.5.1.1	The use of a host or test jig for testing plug-in radio devices .....	30
5.1.5.1.2	Testing of combinations .....	30
5.2	Interpretation of the measurement results .....	31
5.3	Essential radio test suites.....	31
5.3.1	Product information .....	31
5.3.2	Carrier frequencies.....	33

5.3.2.1	Test conditions .....	33
5.3.2.2	Test methods .....	33
5.3.2.2.1	Conducted measurement.....	33
5.3.2.2.2	Radiated measurement.....	33
5.3.3	Occupied Channel Bandwidth .....	34
5.3.3.1	Test conditions .....	34
5.3.3.2	Test method.....	34
5.3.3.2.1	Conducted measurement.....	34
5.3.3.2.2	Radiated measurement.....	35
5.3.4	RF output power, Transmit Power Control (TPC) and power density.....	35
5.3.4.1	Test conditions .....	35
5.3.4.2	Test method.....	35
5.3.4.2.1	Conducted measurement.....	35
5.3.4.2.2	Radiated measurement.....	45
5.3.5	Transmitter unwanted emissions outside the 5 GHz RLAN bands.....	45
5.3.5.1	Test conditions .....	45
5.3.5.2	Test method.....	46
5.3.5.2.1	Conducted measurement.....	46
5.3.5.2.2	Radiated measurement.....	48
5.3.6	Transmitter unwanted emissions within the 5 GHz RLAN bands .....	48
5.3.6.1	Test conditions .....	48
5.3.6.2	Test method.....	48
5.3.6.2.1	Conducted measurement.....	48
5.3.6.2.2	Radiated measurement.....	50
5.3.7	Receiver spurious emissions .....	50
5.3.7.1	Test conditions .....	50
5.3.7.2	Test method.....	50
5.3.7.2.1	Conducted measurement.....	50
5.3.7.2.2	Radiated measurement.....	52
5.3.8	Dynamic Frequency Selection (DFS) .....	52
5.3.8.1	Test conditions .....	52
5.3.8.1.1	General .....	52
5.3.8.1.2	Selection of radar test signals .....	52
5.3.8.1.3	Test set-ups.....	53
5.3.8.2	Test method.....	54
5.3.8.2.1	Conducted measurement.....	54
5.3.8.2.2	Radiated measurement.....	61
5.3.9	Adaptivity (channel access mechanism) .....	61
5.3.9.1	Test conditions .....	61
5.3.9.2	Test method.....	61
5.3.9.2.1	Conducted measurements .....	61
5.3.9.2.2	Generic test procedure for measuring channel/frequency usage .....	63
5.3.9.2.3	Radiated measurements .....	64

#### **Annex A (normative):**

## **HS Requirements and conformance Test specifications Table (HS-RTT)**

## Annex B (normative):

## Test sites and arrangements for radiated measurements

B.1	Introduction .....	67
B.2	Radiation test sites.....	67
B.2.1	Open Area Test Site (OATS) .....	67
B.2.2	Semi Anechoic Room.....	68
B.2.3	Fully Anechoic Room (FAR) .....	69
B.2.4	Measurement Distance .....	70
B.3	Antennas.....	71
B.3.1	Introduction .....	71
B.3.2	Measurement antenna .....	71
B.3.3	Substitution antenna .....	71
B.4	Test fixture .....	71

B.4.1	Introduction .....	71
B.4.2	Description of the test fixture .....	71
B.4.3	Using the test fixture for relative measurements .....	72
B.5	Guidance on the use of radiation test sites .....	72
B.5.1	Introduction .....	72
B.5.2	Power supplies for the battery powered UUT .....	72
B.5.3	Site preparation .....	73
B.6	Coupling of signals.....	73
B.6.1	General .....	73
B.6.2	Data Signals.....	73
B.7	Interference Signal used for Adaptivity Tests .....	73
<b>Annex C (normative):</b>	<b>Procedures for radiated measurements .....</b>	<b>75</b>
C.1	Introduction .....	75
C.2	Radiated measurements in an OATS or SAR.....	75
C.3	Radiated measurements in a FAR .....	75
C.4	Substitution measurement .....	76
C.5	Guidance for testing technical requirements .....	76
C.5.1	Essential radio test suites and corresponding test sites.....	76
C.5.2	Guidance for testing Adaptivity (Channel Access Mechanism).....	76
C.5.2.1	Introduction.....	76
C.5.2.2	Measurement Set-up .....	77
C.5.2.3	Calibration of the measurement Set-up.....	77
C.5.2.4	Test method .....	77
<b>Annex D (normative):</b>	<b>DFS parameters .....</b>	<b>78</b>
<b>Annex E (informative):</b>	<b>Guidance for testing IEEE 802.11™ Devices .....</b>	<b>81</b>
E.1	Introduction .....	81
E.2	Possible Modulations .....	81
E.2.1	Most commonly used modulation types and channel widths .....	81
E.2.2	Guidance for Testing .....	81
E.2.2.1	Objective.....	81
E.2.2.2	Modulation Used for Conformance Testing .....	81
E.3	Possible Operating Modes.....	82
E.3.1	Most commonly used operating modes of Smart Antenna Systems.....	82
E.3.2	Guidance for Testing .....	82
<b>Annex F (informative):</b>	<b>Application form for testing.....</b>	<b>83</b>
F.1	Introduction .....	83
F.2	Information as required by ETSI EN 301 893 (V1.8.1), clause 5.3.1 .....	83
F.3	Additional information provided by the manufacturer.....	90
F.3.1	Modulation .....	90
F.3.2	Duty Cycle.....	90
F.3.3	About the UUT .....	90
F.3.4	List of ancillary and/or support equipment provided by the manufacturer.....	91
<b>Annex G (informative):</b>	<b>Bibliography.....</b>	<b>92</b>
History .....	93	

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN).

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.3] as amended by Directive 98/48/EC [i.1].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

The requirements relevant to Directive 1999/5/EC [1] are summarized in annex A.

National transposition dates	
Date of adoption of this EN:	20 March 2015
Date of latest announcement of this EN (doa):	30 June 2015
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2015
Date of withdrawal of any conflicting National Standard (dow):	31 December 2016

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

## Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [1]. The modular structure is shown in ETSI EG 201 399 [i.2].

# 1 Scope

The present document applies to 5 GHz high performance wireless access systems (WAS) including RLAN equipment which is used in wireless local area networks. Such networks provide high speed data communications in between devices connected to the wireless infrastructure. The present document also applies to ad-hoc networking where these devices communicate directly with each other, without the use of a wireless infrastructure.

The present document also describes spectrum access requirements to facilitate spectrum sharing with other equipment.

5 GHz high performance wireless access systems (WAS) including RLAN equipment are further referred to as RLAN devices in the present document.

The spectrum usage conditions for this RLAN equipment are set in the ECC Decision (04)08 [5] and the Commission Decision 2005/513/EC [6] as amended by the Commission Decision 2007/90/EC [7].

The equipment is intended to operate in the frequency ranges 5 150 MHz to 5 350 MHz and 5 470 MHz to 5 725 MHz which have been allocated by WRC-03 to the *mobile service* on a primary basis for the implementation of WAS/RLANs covered by the present document.

The present document is intended to cover the provisions of article 3.2 of the R&TTE Directive [1], which states that: "...radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

# 2 References

## 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] ETSI TR 100 028-1 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [3] ETSI TR 100 028-2 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [4] Void.
- [5] ECC/DEC/(04)08: ECC Decision of 9 July 2004 on the harmonised use of the 5 GHz frequency bands for the implementation of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs) (30/10/2009).
- [6] Commission Decision 2005/513/EC of 11 July 2005 on the harmonised use of radio spectrum in the 5 GHz frequency band for the implementation of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs).