

**Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range;
Harmonised Standard for access to radio spectrum;
Part 6: Specific radiodetermination applications –
Tank Level Probing Radar (TLPR) and Level Probing Radar (LPR) equipment operating in the frequency ranges 116 GHz to 148,5 GHz; 167 GHz to 182 GHz and 231,5 GHz to 250 GHz
(ETSI EN 305 550-6 V1.2.1 (2025-05))**

Medieninhaber und Hersteller:

ÖVE Österreichischer Verband für Elektrotechnik
Austrian Standards Institute

ICS 33.060.20

Copyright © ÖVE/Austrian Standards Institute – 2025.

Alle Rechte vorbehalten! Nachdruck oder Vervielfältigung, Aufnahme auf oder in sonstige Medien oder Datenträger nur mit Zustimmung gestattet!

Ident (IDT) mit ETSI EN 305 550-6 V1.2.1 (2025-05)

zuständig

ÖVE/Komitee
TK IT-EG
Informationstechnologie, Telekommunikation und Elektronik

Verkauf von in- und ausländischen Normen und technischen Regelwerken durch

Austrian Standards Institute
Heinestraße 38, 1020 Wien
E-Mail: sales@austrian-standards.at
Internet: www.austrian-standards.at
Webshop: www.austrian-standards.at/webshop
Tel.: +43 1 213 00-300
Fax: +43 1 213 00-818

Alle Regelwerke für die Elektrotechnik auch erhältlich bei
ÖVE Österreichischer Verband für Elektrotechnik
Eschenbachgasse 9, 1010 Wien
E-Mail: verkauf@ove.at
Internet: www.ove.at
Webshop: www.ove.at/shop
Tel.: +43 1 587 63 73

Nationales Vorwort

Diese Europäische Norm EN 305 550-6 V1.2.1:2025 hat sowohl den Status einer nationalen elektrotechnischen Norm gemäß ETG 1992 als auch den einer nationalen Norm gemäß NormG 2016. Bei ihrer Anwendung ist dieses Nationale Vorwort zu berücksichtigen.

Für den Fall einer undatierten normativen Verweisung (Verweisung auf einen Standard ohne Angabe des Ausgabedatums und ohne Hinweis auf eine Abschnittsnummer, eine Tabelle, ein Bild usw.) bezieht sich die Verweisung auf die jeweils neueste Ausgabe dieses Standards.

Für den Fall einer datierten normativen Verweisung bezieht sich die Verweisung immer auf die in Bezug genommene Ausgabe des Standards.

Der Rechtsstatus dieser nationalen (elektrotechnischen) Norm ist den jeweils geltenden Verordnungen zum Elektrotechnikgesetz zu entnehmen.

Bei mittels Verordnungen zum Elektrotechnikgesetz verbindlich erklärten nationalen (elektrotechnischen) Normen ist zu beachten:

- Hinweise auf Veröffentlichungen beziehen sich, sofern nicht anders angegeben, auf den Stand zum Zeitpunkt der Herausgabe dieser nationalen (elektrotechnischen) Norm. Zum Zeitpunkt der Anwendung dieser nationalen (elektrotechnischen) Norm ist der durch die Verordnungen zum Elektrotechnikgesetz oder gegebenenfalls auf andere Weise festgelegte aktuelle Stand zu berücksichtigen.
- Informative Anhänge und Fußnoten sowie normative Verweise und Hinweise auf Fundstellen in anderen, nicht verbindlichen Texten werden von der Verbindlicherklärung nicht erfasst.

Europäische Normen (EN) von ETSI werden gemäß den „Gemeinsamen Regeln“ von CEN/CENELEC durch Veröffentlichung eines identen Titels und Textes in das Gesamtwerk der nationalen (elektrotechnischen) Normen übernommen, wobei der Nummerierung der Zusatz ÖVE/ÖNORM vorangestellt wird.

Der von ETSI übermittelte Normentext wird in englischer Sprache veröffentlicht, da davon ausgegangen werden kann, dass die Anwender der Norm über ausreichende englische Sprachkenntnisse verfügen.

ETSI EN 305 550-6 V1.2.1 (2025-05)



**Short Range Devices (SRD) to be used in
the 40 GHz to 260 GHz frequency range;
Harmonised Standard for access to radio spectrum;
Part 6: Specific radiodetermination applications - Tank Level
Probing Radar (TLPR) and Level Probing Radar (LPR)
equipment operating in the frequency ranges
116 GHz to 148,5 GHz; 167 GHz to 182 GHz and
231,5 GHz to 250 GHz**

Reference

DEN/ERM-TGUWB-627

Keywords

harmonised standard, measurement, radar,
sensor, SRD

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	10
3.1 Terms.....	10
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 EUT categories.....	11
4.2.1 General.....	11
4.2.2 Categorization by Operating Frequency Range (OFR).....	11
4.2.3 Categorization by device type.....	11
4.2.4 Categorization by antenna gain.....	12
4.2.5 Categorization by antenna connection	12
4.2.6 Summary of EUT categories.....	12
4.2.7 EUT device sub-category index.....	13
4.3 Transmitter Requirements	14
4.3.1 General.....	14
4.3.2 Operating Frequency Range (OFR).....	14
4.3.2.1 Applicability.....	14
4.3.2.2 Description	15
4.3.2.3 Limits	15
4.3.2.4 Conformance.....	15
4.3.3 Mean e.i.r.p. spectral density	15
4.3.3.1 Applicability.....	15
4.3.3.2 Description	15
4.3.3.3 Limits	15
4.3.3.4 Conformance.....	16
4.3.4 Peak e.i.r.p. spectral density.....	16
4.3.4.1 Applicability.....	16
4.3.4.2 Description	16
4.3.4.3 Limits	16
4.3.4.4 Conformance.....	16
4.3.5 Maximum conducted peak power for devices with low gain antennas.....	17
4.3.5.1 Applicability.....	17
4.3.5.2 Description	17
4.3.5.3 Limits	17
4.3.5.4 Conformance.....	17
4.3.6 Transmitter Unwanted Emissions (TXUE).....	17
4.3.6.1 Applicability.....	17
4.3.6.2 Description	17
4.3.6.3 Limits	18
4.3.6.4 Conformance.....	20
4.3.7 Antenna gain requirements	20
4.3.7.1 Applicability.....	20
4.3.7.2 Description	20
4.3.7.3 Limit.....	20
4.3.7.4 Conformance.....	21

4.3.8	Antenna pattern requirements	21
4.3.8.1	Applicability.....	21
4.3.8.2	Description	21
4.3.8.3	Limit.....	21
4.3.8.4	Conformance.....	21
4.3.9	Transmitter Duty Cycle Requirements	21
4.3.9.1	Applicability.....	21
4.3.9.2	Description	21
4.3.9.3	Limit.....	22
4.3.9.4	Conformance.....	22
4.3.10	TX behaviour under the complete environmental profile	22
4.3.10.1	Applicability.....	22
4.3.10.2	Description	22
4.3.10.3	Limits	22
4.3.10.4	Conformance.....	22
4.4	Receiver Requirements.....	22
4.4.1	General.....	22
4.4.2	Wanted Technical Performance Criteria (WTPC)	23
4.4.3	Receiver Baseline Sensitivity (RBS)	23
4.4.3.1	Applicability.....	23
4.4.3.2	Description	23
4.4.3.3	Limits	23
4.4.3.4	Conformance.....	23
4.4.4	Receiver Baseline Resilience (RBR)	24
4.4.4.1	Applicability.....	24
4.4.4.2	Description	24
4.4.4.3	Limits	24
4.4.4.4	Conformance.....	24
5	Testing for compliance with technical requirements.....	25
5.1	Environmental conditions for testing	25
5.1.1	General.....	25
5.1.2	Normal Conditions.....	25
5.1.3	Complete environmental profile test conditions	25
5.2	General conditions for testing and conformance test suites	25
5.2.1	General conditions for testing.....	25
5.2.2	Conformance test suites	25
5.3	Conformance test methods of measurement for transmitter	26
5.3.1	General.....	26
5.3.2	Operating Frequency Range (OFR)	26
5.3.3	Mean e.i.r.p. spectral density	26
5.3.4	Peak e.i.r.p. spectral density.....	26
5.3.4.1	General	26
5.3.4.2	Peak e.i.r.p. spectral density for EUTs with a connector.....	26
5.3.4.3	Peak e.i.r.p. spectral density for EUTs with integral antenna	26
5.3.5	Maximum Conducted Peak Output Power.....	27
5.3.5.1	General	27
5.3.5.2	Conducted peak output power measurement.....	27
5.3.5.3	Peak output power evaluation for integral antennas.....	27
5.3.6	Transmitter Unwanted Emissions (TXUE).....	27
5.3.7	Antenna gain	28
5.3.7.1	General.....	28
5.3.7.2	Conformance test for antenna gain of AUTs with antenna connector.....	28
5.3.7.3	Conformance test for antenna gain of AUTs without antenna connector.....	29
5.3.8	Antenna radiation patterns	29
5.3.8.1	General	29
5.3.8.2	Conformance test for AUTs with an antenna connector	29
5.3.8.3	Conformance test for integral AUTs without antenna connector	29
5.3.9	Duty Cycle	30
5.3.9.1	Duty cycle over signal repetition period DC_Trep	30
5.3.9.2	Duty Cycle Measurement Method	30
5.3.10	TX behaviour under full environmental profile	31

5.4	Conformance test methods of measurement for receiver	31
5.4.1	General.....	31
5.4.2	Wanted Technical Performance Criteria (WTPC)	32
5.4.3	Receiver Baseline Sensitivity (RBS)	32
5.4.3.1	Radiated test setup for EUTs without antenna connector.....	32
5.4.3.2	Conducted test setup for EUTs with antenna connector.....	32
5.4.4	Receiver Baseline Resilience (RBR)	33
5.4.4.1	Test setups for EUTs providing no access to the noise level of the receiver	33
5.4.4.1.1	Radiated test setup for EUTs without antenna connector.....	33
5.4.4.1.2	Conducted test setup for EUTs with antenna connector	33
5.4.4.2	Test setups for EUTs providing access to the noise level of the receiver	34
5.4.4.2.1	General	34
5.4.4.2.2	Test procedure	35
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	36
Annex B (informative):	Selection of technical parameters	38
Annex C (normative):	Interferer signals for receiver baseline resilience	40
C.1	General	40
C.2	Interferer within the OFR.....	40
C.3	Interferer outside of the OFR	40
Annex D (normative):	Test scenarios for receiver parameters measurements	41
D.1	Introduction	41
D.2	Definition of a real scenario	41
D.3	Derivation of the radiated equivalent scenario.....	42
D.4	Radar cross sections of suitable targets.....	42
D.5	Evaluation of the Radar Cross Section (RCS) of standard radar targets	43
Annex E (informative):	Range of modulation parameters	44
E.1	FMCW modulation schemes.....	44
Annex F (informative):	Installation requirements	45
F.1	LPR installation requirements.....	45
F.2	TLPR installation requirements.....	45
Annex G (informative):	Bibliography.....	47
Annex H (informative):	Change history	48
History		49

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 6 of a multi-part deliverable covering Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range; Harmonised standard for access to radio spectrum, as identified below:

- Part 1: "Communication devices within 57 GHz to 64 GHz, 122 GHz to 123 GHz or 244 GHz to 246 GHz";
- Part 2: "Radiodetermination for industrial applications (RDI & RDI-S) equipment operating within 116 GHz to 260 GHz";
- Part 3: "Radiodetermination for consumer applications within 57 GHz to 64 GHz, 122 GHz to 130 GHz, 134 GHz to 148,5 GHz or 244 GHz to 246 GHz";
- Part 4: "Radiodetermination devices at vehicles within 57 GHz to 64 GHz";
- Part 5: "Ultra Short Range Communication (USRC) equipment operating within 57 GHz to 64 GHz";
- Part 6: "Specific radiodetermination applications - Tank Level Probing Radar (TLPR) and Level Probing Radar (LPR) equipment operating in the frequency ranges 116 GHz to 148,5 GHz; 167 GHz to 182 GHz and 231,5 GHz to 250 GHz".**

NOTE: The list above shows the planned multi-part deliverable, at the time, when the present document was finalized.

National transposition dates	
Date of adoption of this EN:	13 May 2025
Date of latest announcement of this EN (doa):	31 August 2025
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2026
Date of withdrawal of any conflicting National Standard (dow):	28 February 2027

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

ETSI ERM TGUWB decided to develop more specific standards; this means instead of one generic ETSI EN 305 550 for generic SRD within 40 GHz to 260 GHz, a standard family was started to reflect the intended use in relation to the wanted technical performances in more detail.

The present document is the first version of the harmonised standard ETSI EN 305 550-6 for Level Probing Radar (LPR) and Tank Level Probing Radar (TLPR) equipment using UWB technology in the frequency ranges 116 GHz to 148,5 GHz, 167 GHz to 182 GHz and 231,5 GHz to 250 GHz, and it is part of the standard family ETSI EN 305 550-x which covers Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range in general.

1 Scope

The present document specifies technical requirements, limits and test methods for SRD radiodetermination equipment using Ultra Wide Band (UWB) technology in the frequency ranges from 116 GHz to 148,5 GHz, from 167 GHz to 182 GHz, and from 231,5 GHz to 250 GHz for Level Probing Radar (LPR) and Tank Level Probing Radar (TLPR).

Level Probing Radars and Tank Level Probing Radars consist of a combined transmitter and receiver and are equipped with an integral or dedicated antenna provided also by the EUT manufacturer. EUTs intended to be equipped with antennas from third-party manufacturers are not covered by the scope of the present document.

Furthermore, the present document is limited to LPR and TLPR devices with FMCW modulation (see clause C.2.2 of ETSI EN 303 883-1 [1]).

Further details of the covered LPR and TLPR EUT can be found in clause 4.2 of the present document.

NOTE 1: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

NOTE 2: Equipment covered by the present document operates in accordance with clause 2.3 and clause 2.5 of ECC Decision(22)03 [i.3] and the upcoming EC framework for UWB/SRDs for the range 116 GHz to 260 GHz, which is based on the results of ECC Report 334 [i.8].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI EN 303 883-1 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements".
- [2] [ETSI EN 303 883-2 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 2: Measurement techniques for receiver requirements".
- [3] [ETSI TS 103 789 \(V1.1.1\) \(05-2023\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Radar related parameters and physical test setup for object detection, identification and RCS measurement".
- [4] [ETSI TS 103 941 \(V1.1.1\) \(01-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Measurement setups and specifications for testing under full environmental profile (normal and extreme environmental conditions)".